1	7. A method comprising:
2	providing a housing having top and bottom sides;
3	providing a display in said housing; and
4	enabling a scroll wheel to be manipulated between
5	the user's thumb and forefinger at the same time the
6	housing is held in the user's hand
7	
1	8. The method of claim 7 including providing an
2	Internet connection.
1	9. The method of claim 7 including providing a
2	scroll wheel that extends completely through said housing
3	from the top and bottom sides.
1	10. The method of claim 7 including scrolling said
2	scroll wheel between the user's thumb and forefinger to
3	adjust the vertical display.
1	11. A web tablet comprising:
2	a housing; and
3	a scroll wheel extending from two sides of said
4	housing.
	χ
1	12. The system of class 11 wherein said web tablet is
2	a wireless web tablet. $/$ \setminus
	8

i

- 1 13. The system of claim 11 wherein said scroll wheel 2 scrolls the display up and down.
- 1 14. A method comprising:
- 2 holding a web tablet; and
- manipulating a scroll wheel to scroll the display
- 4 on said web tablet between the user's thumb and forefinger.
- 1 15. The method of claim 14 including connecting to
- 2 the Internet through said web tablet.

- 1. A portable processor-based system comprising:
 2 a housing having top and bottom sides;
 3 a display formed in said housing; and
 4 a scroll wheel to control said display, said
 5 wheel extending through the top and bottom sides of said
 6 housing.
- Sub 2
- 2. The system of claim 1 wherein said system is a web tablet.
- 1 3. The system of claim 2 wherein said web tablet is 2 a wireless web tablet.
- 1 4. The system of claim \1 wherein said control wheel 2 scrolls said display up and down.
- 5. The system of claim 1 wherein said wheel is positioned near the edge of said housing such that said scroll wheel may be manipulated between the user's thumb and forefinger.
- 1 6. The system of claim 5 wherein said scroll wheel 2 is positioned so that the scroll wheel may be manipulated 3 by the user's thumb and forefinger at the same time that 4 the user's hand holds the system.